


Informatics


Ingeniería en Electrónica y Automática Industrial

Data types in C

Data in C language



- Introduction
- Basic data types and specifiers (or qualifiers, modifiers)
- Integer numbers
- Real numbers
- Size and range
- Other data types
 - Derived
 - User-defined
- Constants
 - Integer constants
 - Real constants
 - Character constants
 - Symbolic constants
- Variable declaration
 - Local variables
 - Global variables
- Variable initialization
- Other data type specifiers
 - Acces specifiers
 - Storage-class specifiers


A decorative header consisting of five circles in a horizontal row. From left to right: a solid light purple circle, an empty white circle with a light purple outline, a solid light purple circle, an empty white circle with a light purple outline, and a solid light purple circle.

Introduction to data types in C

- **Data** are the objects that are processed in computer programs
- In C, *variables* and *constants* must be **declared** before use
- Data declaration requires to specify:
 - Data type
 - Specifier (optional)
 - Identifier

specifier datatype *identifier*;

Example: unsigned int *age*




Basic data types and specifiers (I)

- When programming, the election of the **data types** to use will establish their main features:
 - Memory they occupy
 - Range of values they can store
 - How they are processed
- The required memory and the range for each data type depend on:
 - Compiler
 - Operating system
 - Computer

Basic data types and specifiers (II)

- Reserved words in C for **basic data types** are:
 - char Character
 - int Integer
 - float Real
 - double Real in double precision
 - void No data (for functions that return no value)
 - enum Enumerated type, list of integers/names
- The **specifiers** that can be applied to these basic data types are:
 - signed
 - unsigned
 - long
 - short
- Data are obtained combining basic types and specifiers.




Integers (I)

- Type to store integer quantities
 - char (signed char).
 - Normally occupies a byte (to store one ASCII character)
 - int (signed int).
 - Normally occupies 4 bytes
 - short (signed short int).
 - Normally occupies 2 bytes
 - long (signed long int).
 - In 32 bits machines: 4 bytes; in 64 bits: 8 bytes
 - enum. *Enumerated type*. Variable that can take as argument a list of symbols

Integers (II)


- Size relation is always: $\text{short} \leq \text{int} \leq \text{long}$
- Internal representation of integers
 - Numbers **without sign**: pure binary
 - Numbers **with sign**: 2's complement
- Examples:
 - `int cantidad;`
 - `char letra`
 - `Short age`
 - `Long memoria`
 - `Enum week = {Monday, Tuesday, Wednesday, Thursday, Friday, Saturday, Sunday};`

Reals



- Numerical quantities in scientific notation and with higher range
- Most extended format: IEEE754:
- Types
 - `float`. Real with simple precision
 - `double`. Real with double precision
 - `long double`. Real with double precision long format

Other data types



- **Void**

- Void indicates a non-defined data type
- It is used mainly for functions that don't return any value


- **Derived**

- Complex data types obtained from fundamental ones
- Arrays, function, pointers, structures and unions

- **User defined**

- Created by the user with their own name and definition

```
typedef datatype newname;  
typedef unsigned long int mytype;
```



Constants (I)

- **Constants** are fixed values that cannot be altered by the program in execution
- They can be:
 - Integer constants
 - Real constants
 - Character constants
 - Symbolic constants

Constants (II)

- **Integer constants (I)**

- The compiler chooses the smaller data type compatible with the constant.
- They can be expressed in
 - *Decimal*: default option
 - The most significant bit cannot be 0
 - Just numerical values from 0 to 9 are valid
 - *Octal*
 - The most significant bit is always 0
 - Just numerical values from 0 to 7 are valid
 - *Hexadecimal*:
 - They always start with 0x
 - Values from 0 to 9 and letters A, B, C, D, E, F (upper and lower case) are valid

Constants (III)

- **Integer constants (II)**

- They have the following fields:

- Prefix `0x` for hexadecimals or `0` for octals.
- Sign (optional for positives)
- Numerical value
- Optional suffix to fix the size that the compiler must assign to it:
 - `U` for unsigned
 - `L` for long
 - `UL` for unsigned long

- Examples: `-23L`, `010`, `0xF`

Constants (IV)

- **Real constants**

- By default the compiler always create them `double`
- They have the following fields:
 - Sign (optional for positives)
 - Integer part before the decimal point « . »
 - Fractional part after the point
 - Scientific notation with «e» or «E»
 - Optional suffix to fix the size that the compiler must assign to it:
 - F for `float`
 - L for `long double`
- Examples:

`35.78`

`1.25E-12`

`45F`

`33L`

Constants (V)

- **Character constants (I)**

- *One character constants* are `char` type and are expressed with with single quotation marks: `'A'`
- *Back slash \ constant*
 - It allows to represent ASCII character by its number. Use simple quotation marks: `'\ASCIIcode'`
 - The *code* can be represented
 - In decimal up to 3 digits: `'\ddd'`
 - In octal with two dígits: `'\0oo'`
 - In hexadecimal with two dígits : `'\0xhh'`

Constants (VI)

- **Character constants (II)**

- Example:

```
`6'      /* Character 6, ASCII code 0x36 */  
`\12'    /* ASCII code 13 (carriage return) */  
`\0x20' /* ASCII code 32 (space) */
```

- *String constants*

- They are not a data type
- They define a set of 1-byte characters stored consecutively
- Represented with double quotation marks:
 `This is a string constant`
- The compiler stores the string and finishes it with the **null character** « '\0 ' » to represent the end of the chain.

Constants (VII)

- **Symbolic constants**

- They are defined with the directive `#define` :

```
#define CONSTANTNAME Equivalence
```

- `CONSTANTNAME` is the identifier of the symbolic constant (recommended in capitals)
- *Equivalence* are the symbols that `CONSTANTNAME` is going to represent
- When `CONSTANTNAME` appears in the program the compiler will substitute it with by *Equivalence*

- Example:

```
#define MAXIMUM 100 /* MAXIMUM takes de value 100 */  
#define SENTENCE "press a key"
```

Variables declaration (I)

- All variables must be *declared* before used so that the compiler assigns the required memory to them
- A variable *declaration* is a statement

`Datatype variablename ;`

- Examples:

```
char letra;  
int actual, greater, lower;  
float resultado;
```

Variables declaration (II)

- Variables can be ***local***, ***global*** or ***formal parameters***.
- **Local variables** (also named *automatic variables* -auto)
 - Are declared within a function
 - Declaration must be at the beginning of the function
 - They are **just valid within the function**
 - They disappear when the function is executed
 - If the function is called many times, local variables are created and destroyed every time
 - They are stored in a special part of the memory, the **stack memory** (LIFO-Last Input First Output)

Variables declaration (III)

- **Global Variables**

- Declared out of any function
- Active during all program execution
- Stored in a special part of the memory assigned by the compiler
- Can be used by any function without restriction
- Can be defined in another file (e.g, a *header*). In such a case they must be defined with `extern` specifier in the file where they are used.
- Compiler initializes them to 0 when defined
- Must be used with care:
 - They make functions less portable
 - They occupy memory during all program execution
 - They can give rise to many mistakes

Variables declaration(IV)

- **Formal Parameters** (or *parameters*)

- Are the variables that receive the values that are passed to the function
- Always local to the function
- Declared in the same line than the function
- Example:

```
long int Myfunction(int base, int exponente)
{
    /* function statements */
}
```

Variables initialization

- It is used to assign the variable's first value
 - By default:
 - Global variables are initialized to 0
 - Locals variables just take the value that was in the memory position where that the compiler assign to them (rubbish in general)
 - It can be done in the same declaration with an assignment operator:

```
datatype variablename = initial value;
```

- Example:

```
unsigned int age = 25;
```

Other data specifiers (I)

- **Access specifiers**

- The modify the *way a variable is accessed*
 - `const`. Set a variable as constant, i.e. it can be changed during all program execution.
 - `volatile`. Makes the variable posses special properties related to optimization (just for advanced programmers)

- **Example**

```
unsigned int const year = 2006;
```

Other data specifiers (II)

- **Storage-class specifiers**

- Used to tell the compiler how the variable must be stored:
 - `extern`. Declares a variable that has been defined in a different file (they already have memory assigned)
 - `static`. (Inside a function) Declares a local variable that keeps its value among calls.
 - `static`. (Outside a function) Declares a global variable to be used just in the file where it is defined (private use)
 - `register`. Tells the compiler that the variable must be stored in a register (fast access for heavily used variables)
 - `auto`. Declares a variable local to a function (is the default option)