


# Functions in C language



- Introduction
- Definition
- Declaration
- Variable types in relation to functions
- Function call
- Exit from a function
- `main()` function arguments
- Recursive functions
- Pointers to functions
- Complex declarations

# Introduction (I)

- **Functions** are statement blocks that form the programs in C. All program activity occurs in them.
- Each function is a private, independent and indivisible code and data block.
  - A function can have access just to its own local variables and to global external ones
  - Any function can be accessed from outside just by calling it
  - They are equivalent to subroutines or procedures in other programming languages

# Introduction (II)

- All C programs consist at least of one function:  
`main()`
  - Programs start execution always with `main`
- To maximize program portability, a function should:
  - Be generic
  - Receive information just through its parameters, i.e.
  - Not use external variables

# Introduction (III)

- Example: Program to read a set of numbers and obtain its maximum, minimum and mean:

```
#include <stdio.h>
#define N 10
main()
{
    int max, min, med, listnum[N];
    Readdata(listnum, N);
    max = Maximum(listnum, N);
    min = Minimum(listnum, N);
    med = Mean(listnum, N);
    printf("Máximo: %d, Minimum: %d, Mean: %d",
           max, min, med);
    return 0;
}
```

# Introduction (IV)

- **Advantages** of using functions

- Code is structured and organized in independent blocks
- Data are isolated
- Error localization is easier
- Functions can be tested separately
- Same function can be used in different programs.

- **Disadvantages**

- Source code may be larger.
- In execution, call and return requires additional time.

In general **advantages are much more valuable** than disadvantages

# Function definition (I)

- The general form of a **function definition** in C is:

```
returntype functionname(parameterlist)
{
    /* Body of the function */
    Data declaration
    Statements;
    Return expressions;
}
```

- `returntype` is the data type of the value the function returns (`int` by default)
- `functionname` identifies the name of the function

# Function definition (II)

- The **parameterlist** refers to the type, order and number of the **formal parameters** of the function
  - They get the values that are passed to the function
  - They work as variables inside the function
  - The list has the following format:

`type1 ident1, type2 ident2, ... typeN identN`

- `typeX` represents any valid type
- `identX` is the identifier of the variable

# Function definition (III)

- Example: Function that receives a list of numbers and returns the maximum

```
int Maximum(int list[], int numdat)
{
    int i, max;
    max = list[0];
    for (i=0 ; i<numdat ; i++)
        if (max<list[i]) max=list[i];
    return max;
}
```

# Function declaration (I)

- Function **declaration** or **prototype** describes the function:
  - It must be placed before the first function call, preferably at the beginning of the program before `main` function
  - It informs the compiler about the function and its characteristics, so
  - It prevents mistakes in the function call related to
    - Data types
    - Number of parameters

# Function declaration (II)

## ○ Format:

```
return_type function_name (parameter list);
```

**Where** `return_type`, `function name` **and** `parameter list` **have the same meaning that in the function definition**

- If the function does not receive arguments, it must be explicitly declared as `void`
- If it does not return anything `return_type` must be `void`

# Function declaration (III)

- There may be an indetermined number of parameters:
  - Indicated by « . . . » in the parameter list
  - There must be at least one defined parameter before the « . . . »
- Example: Valid declarations:

```
int maximum();  
int maximum(int [], int);  
int maximum(int [], ...);  
int maximum(int lista[], int numdat);  
/* The last one is preferably */
```

# Variable types in relation to functions (I)

- **Local or automatic variables:**

- They are declared within the function (optionally with the modifier `auto`)
  - Unknown/unused outside the function.
  - They just exist while function execution, so
  - They don't keep their value among calls, unless they are explicitly declared as `static`
  - Stored in a temporal memory part, the ***stack***

# Variable types in relation to functions (II)

- **Formal parameters**


- They are the **local variables** that receive the **function arguments** that are send to the function in each call, so their types must be coincident.
- They are declared in the function definition

# Variable types in relation to functions (III)

- **External/global variables**


- Declared outside all functions, preferably before `main`
- They can be accessed/modified from any point of the program and from any function
- So they are stored in memory during all execution time
- Must be declared `extern` in each function that uses them
- Initialized automatically to zero
- **Disadvantages:**
  - Functions that use them are less portable and generic
  - As they can be modified in any part of the program, they must be used with care to prevent “interferences”
  - They imply a permanent memory occupation and a larger program size.

# Functions call (I)



- A **function call** is made writing the name of the function and its arguments.
- Arguments can be passed to the function by two ways:
  - **By value**
    - Arguments are copied in the corresponding formal parameters.
    - Changes made within the function **do not affect the variables used in the call**
  - **By reference**
    - Arguments passed to the functions are memory addresses of the variables (pointers).
    - The function can change the contents of the address and therefore **can change the variable used in the call.**

# Functions call (II)



- To **pass an array** to a function, the argument is the address of the first element of the array (**pointer**).
  - The function can change any element of the array
  - The function must know the dimensions of the array.
    - With a 1D array, it must know its limits:
      - The number of elements
      - If it is a string, the null character `\0`
    - With a multidimensional array:
      - The number of dimensions
      - The total number of elements.

# Functions call (III)

- Example: maximum() function with prototype

```
int maximum(int list[], int numdat)
```

- **Receives**


- The address of an array of integers `list`
- The number of elements in the array `numdat`

- **Returns an integer: the maximum of the array** `max`

- **After the call** `max=maximum(array, ndata);`

- `ndata` **does not change**
- The elements in `array` (`array[0]`, `array[1]`, ...) **may change.**
- `max` **will change**

# Functions call (IV)



- Structures and unions can be passed to a function as any other variable:
  - When passed by **value**, a copy is made.
    - With big and complex structures, memory size and execution time increase.
  - When passed by **reference**:
    - Function call is fast (just an address is passed).
    - Function can change values of variables in the calling function.

# Exit from a function (I) - `return`

- `return` statement allows to exit from a function and go back to the point where it was called

```
return expression;
```

- `expression` represents the value to be returned
  - It must be of the type the function expects
- It can be placed anywhere and more than once.
- Closing bracket «`}`» means as well function ending and return to the calling point
- By default the return type is `int`.

# Exit from a function (II) - `exit`

- `exit()` forces the end of the program in the point where is placed
  - It returns the control to the OS
  - Defined in the file `stdlib.h`

# main () function arguments (I)

- `main ()` function can exchange information with the OS:
  - Receive arguments from command line
  - Return a value
- Prototype

```
int main(int argc, char *argv[]);
```

- `int` indicates that it returns an integer (default)

# main () function arguments (II)

- `argc` and `argv []` are optional parameters to receive arguments:
  - `argc` is an integer indicating the number of arguments, considering the name of the program as the first one
  - `argv` is a pointer to an array of character strings that contains the arguments.
    - Each element of the array points to one argument in the command line: (`argv [0]` to the program name, `argv [1]` to the next argument...)
    - Separator in command line is just an space.

# main () function arguments (III)

- main () receives as many strings as there are character sets separated by spaces in the command line
- Example: If `cp` was a C program, typing

```
cp -f origin_file destiny_file
```


in the `main ()` function of the program there will be:

- `argc=4`
- `argv[0]="cp"`
- `argv[1]="-f:"`
- `argv[2]="origin_file"`
- `argv[3]="destiny_file"`

# Recursive functions (I)

- **Recursion** is the possibility that a function calls itself
  - When this happens:
    - Previous execution remains suspended and its parameters are stored in memory
    - A successive return must take place
  - Usually there is a conditional statement to finish recursion
  - Recursivity levels must be limited to a small number explicitly or by the algorithm (risk of infinity loops)
- When programming recursive functions notice that:
  - `auto` and `register` variables are initialized every call
  - `static` variables are just initialized the first call

# Recursive functions (II)



- Advantages
  - Sometimes they allow to create clearer and simpler versions of some algorithms
- Disadvantages
  - Usually they they increase both used memory and execution time
  - Difficult to understand

# Recursive functions (III)

- Example: Program to show natural numbers up to the one introduced with the keyboard (I)

```
#include <stdio.h>
void present (int num);    /* Function prototype */

main()
{
    int n;
    printf("Introduce a number: ");
    fflush(stdin);
    scanf("%d", &n);
    present(n);           /* Call to the function */

    return 0;
}
```

# Recursive functions (IV)

- Example: Program to show natural numbers up to the one introduced with the keyboard (I)

```
void present(int num)          /* Recursive function */
{
    if (num==1) printf ("%d\t", num);
                        /* Si num == 1 print and finish */
    else
    {
        present(num-1);    /* Si num!=1 decrement num
                            and calls to itself */
        printf("%d\t", num);
    }
}                               /* When returning from calls
                                numbers are printed */
```

# Complex declarations (I)

- Combination of
    - *Pointer to operator* « \* »
    - *Array brackets* « [ ] »
    - *Parenthesis* « ( ) » to group operations or for functions
- Give rise to complex declarations difficult to understand
- To interpret correctly the declarations:
    1. Start with the identifier and go right
      - Parenthesis indicates that is a function
      - Brackets indicates that is an array
    2. Go left and check if there is a « \* » indicating a pointer
    3. Apply former rules to each level of parenthesis from inside to outside

# Complex declarations (II)

- Examples

```
int (*list)[20];      /* list is a pointer to an
                      array of 20 integers */
```

```
char *data[20];     /* data is an array of 20
                      pointers to character */
```

```
void (*busc)();     /* busc is a pointer to a
                      function that does not
                      return anything*/
```